

TABLE OF CONTENTS

KEYNOTES

Speleothems, what do they tell us about climate, the timing of climate change, and the migration of desert borders

M. Bar-Matthews, A. Ayalon, A. Vaks, A. Frumkin, B. Schilman, A. Almogi-Labin, and A. Matthews 1

Speleothems as recorders of flooding and insights into the Earth's hydrologic cycle

J. A. Dorale 3

Speleophysiology: a key to understanding high-resolution information in speleothems

*I. Fairchild, A. Baker, L. Fuller, A. Borsato, R. Miorandi, S. Frisia,
D. Mattey, E. McMillan, C. Spötl, B. Andreo, I. Vadillo, and F. Carrasco* 4

Unfinished businesses

D. Ford 6

Speleothem geochronology and climate change: practice and prospects

D. A. Richards, P. L. Smart, and D. L. Hoffmann 7

The importance of the Romanian karst for modern human origins research

J. Zilhão 8

PRESENT-DAY KARST ENVIRONMENTS

Variations in dissolved organic carbon of cave drip waters in Shihua Cave, Beijing

F. Ban, M. Tan, B. Cai, and G. Pan 11

Geochemistry of warm spring water in North Springs of Chongqing: Water source and its relation to travertine formation in the past

Y. Cao, H. Li, Z. Liu, D. Yuan, and L. Shen 13

Thickness and stable isotopic characteristics of modern seasonal climate-controlled sub-annual travertine laminae in a travertine-depositing stream at Baishuitai, SW China: implications for paleoclimate reconstruction

Z. Liu, H. Li, C. You, N. Wan, and H. Sun 15

The influence of bedrock depth on the hydrochemistry of cave drip waters from a karst system in southeastern Australia

J. McDonald, R. Drysdale, D. Hill, R. Chisari, and H. Wong 16

Long-term drip-rate monitoring at Grotta di Ernesto (Trentino, NE Italy): hydrological aspects*R. Miorandi, A. Borsato, and S. Frisia* 20**Drip water monitoring results from a cave in Peruvian Amazonia***M. R. van Breukelen, H. B. Vonhof, and D. Kroon* 23**The contrast in isotopic composition of cave ice across the divide in Western North America***C. J. Yonge and W. D. MacDonald* 26**KARST EVOLUTION, KARST MODELING, PALEOKARST****Stalagmite growth dynamics in Katerloch Cave (Austria)***R. Boch and C. Spötl* 30**Growth pattern and depositional feature of stalagmites in the karst region of Chongqing, SW China: climatic implications***X. He, J. Wang, H. Li, H. Cheng, and D. Yuan* 31**Damaged speleothems record 200,000 years of earthquake activity: Dead Sea transform region***E. Kagan, M. Bar-Matthews, A. Ayalon, and A. Agnon* 33**Naturally damaged speleothems, indicators of glacial cave ice in Central Europe***S. Kempe, D. Döppes, I. Bauer, H. Dirks, I. Dorsten, A. Hüser, and A. Eisenhauer* 35**Records of catastrophic events on speleothems: case studies from the Rhodopes, Southern Bulgaria***K. Kostov, S. Shanov* 36**U-Pb dated laminated speleothems from the western Austrian Alps: constraints on Pliocene to Early Pleistocene climate variability and uplift***M. Meyer, R.A. Cliff, and C. Spötl* 39**Quaternary deposits in Orlova Chuka Cave, NE Bulgaria***A. Radulov* 41**Underground glaciers and climate change: *Velika ledena jama* in Paradana Nature Reserve***D. Rojšek* 45**The origin of the calcite speleothems in Yongcheon and Dangcheomul Lava Tubes, Jeju Island, Korea: their sedimentological significance and potential for the World Heritage nomination***K. S. Woo, K. C. Lee, and I. S. Son* 47**NEW TECHNIQUES AND INSTRUMENTAL ADVANCES****Visualization of elemental distributions using high-spatial resolution, large-area X-ray maps of a stalagmite***M. G. Bersch, V. Murgulet, and P. Aharon* 49

Variation of drop volume with stalactite geometry and drip rate: investigations using a new acoustic drop counter

C. Collister and D. Matthey 52

Long-term reproducibility and accuracy of MC-ICP-MS speleothem dating

J. Hellstrom 55

Hyperspectral imaging of stalagmites

C. Jex, E. Claridge, A. Baker, and C. Smith 56

Microstratigraphic logs: a method for improving time correlation of speleothems for paleoclimatic studies

M. B. Muñoz-García, J. Martín-Chivelet, C. Rossi, H. P. Schwarcz, and Derek C. Ford 60

Measurement of stable isotopes in speleothem fluid inclusions by continuous flow mass spectrometry

P. Rowe, A. Marca-Bell, and P. Dennis 64

Investigation of the fractionation of stable isotopes in speleothems with laboratory experiments

D. Scholz, E. Wiedner, A. Mangini, and R. März 65

Evolutionary spectral analysis of climatic cycles in speleothem records from North Italy

D. Stoykova, Y. Shopov, U. Sauro, A. Borsato, S. Frisia, F. Cucchi, and P. Forti 67

A continuous-flow crushing device for on-line $\delta^{2}\text{H}$ and $\delta^{18}\text{O}$ analysis of fluid inclusion water

H. B. Vonhof, M. R. van Breukelen, and O. Postma 68

U-Pb geochronology of speleothems by MC-ICPMS

J. Woodhead, J. Hellstrom, R. Maas, R. Drysdale, G. Zanchetta, P. Devine, and E. Taylor 69

Use of Helium flow in retrieving fluid inclusions from speleothems

R. Zhang, H. P. Schwarcz, and D. C. Ford 72

CLIMATE RECONSTRUCTIONS

Is solar forcing a controlling factor of ENSO variability?

P. Aharon, M. S. Rasbury, W. J. Lambert, L. Lambert, and B. Ghaleb 77

A speleothem-based reconstruction of paleoclimate in the Central Zagros region (Iran)

S. H. Al-Omari, J. E. Andrews, P. J. Rowe, A. D. Marca-Bell, and R. C. Preece 78

Paleoclimate reconstruction of the Eastern Mediterranean based on speleothems record and pollen record from nearby marine core

*A. Almogi-Labin, D. Kadosh, M. Bar-Matthews, M. Weinstein-Evron,
B. Schilman, and A. Ayalon* 81

A high-resolution multi-proxy stalagmite record from Mechara, Southeastern Ethiopia: paleohydrological implications for speleothem paleoclimate reconstruction

A. Asrat, A. Baker, M. Umer, M. J. Leng, P. van Calsteren, and C. Smith 83

A paleoclimate reconstruction along Mediterranean East-West transect from 95 ka until the early Holocene as evident from Frasassi Cave (Italy) and Soreq Cave (Israel)	
<i>A. Ayalon, M. Bar-Matthews, G. Kudielka, M. Gilmour, S. Galdenzi, C. Koeberl, and A. Montanari</i>	85
Annual resolution climate reconstruction in Ethiopia using multiple stalagmite parameters: cave and instrumental climate calibration	
<i>A. Baker, I. Fairchild, A. Asrat, M. Umer, and M. Leng</i>	87
Integrated study of cave drip hydrology and hydrochemistry, and the associated paleoclimate records from North America	
<i>P. A. Beddows, H. P. Schwarcz, R. Zhang, and D. C. Ford</i>	91
Palaeomagnetic and palaeontological research in Račiška pečina Cave, SW Slovenia	
<i>P. Bosák, P. Pruner, A. Mihevc, N. Z. Hajna, I. Horáček, J. Kadlec, O. Man, and P. Schnabl</i>	94
Anthropogenic impacts on vegetation over the past 350 years in Puzhehei, Yunnan, China, as evident from the carbon isotopic record of stalagmites	
<i>B. Cai, M. Tan, T. Liu, H. Cheng, and H. Liu</i>	95
Spatial and temporal variations of rainwater and dripwater geochemistry in Malaysian caves	
<i>K. Cobb, J. Partin, J. F. Adkins, and B. Clark</i>	97
New data on the chronology of the Termination II and paleoclimate during MIS 5, based on the study of a stalagmite from Cloşani Cave (SW Romania)	
<i>S. Constantin, S.-E. Lauritzen, and J. Lundberg</i>	98
Crystalline fabrics and stable isotope composition of speleothems from cave entrances: examples from SW France	
<i>I. Couchoud, D. Genty, and D. Blamart</i>	101
Stable isotope analysis of speleothems developed in archaeological context: contribution to stratigraphic and paleoenvironmental studies of sites. Examples of two pleistocene sequences from South-West France	
<i>I. Couchoud, D. Genty, D. Blamart, M. Gilmour, J.-P. Brugal, A. Debénath, and J. Jaubert</i>	102
High-resolution Holocene speleothem records from Soqotra Island, Yemen as a tool for Indian Ocean climate reconstruction	
<i>P. de Geest, E. Keppens, S. Verheyden, H. Cheng, and L. Edwards</i>	103
Late Holocene $\delta^{18}\text{O}$ variability in a high-resolution record from a speleothem in Kaité Cave, northern Spain	
<i>D. Domínguez-Villar, J. Martín-Chivelet, R. L. Edwards, and X. Wang</i>	105
New age constraints for the last interglacial from Italian speleothems	
<i>R. Drysdale, G. Zanchetta, J. Hellstrom, and T. Fallick</i>	109
Empirical orthogonal function analysis of multivariate stalagmite trace element data: Detecting the 1982 El Chichón volcanic eruption	
<i>A. E. Benoit Frappier</i>	113

High-resolution stable isotope climate record from two annually laminated Holocene stalagmites in NW Scotland

L. Fuller, A. Baker, I. Fairchild, P. Rowe, A. Marca-Bell, C. Spötl, and D. Matthey 116

High-resolution radiocarbon, stable-isotope and trace-element variation in Bahamian speleothems during the last glacial period

D. L. Hoffmann, D. A. Richards, P. L. Smart, B. A. Paterson, J. W. Beck, and D. P. Matthey 119

Age, duration and structure of the 8.2 ka event in a speleothem from Pippikin Pot, Northern England

*P. J. Hopley, D.A. Richards, D. L. Hoffmann, P. L. Smart, J. Tindall,
P. J. Valdes, J. D. Marshall, T. C. Atkinson, and J. W. Beck* 121

Reconstruction of paleoclimate over the instrumental period using six stalagmites of different hydrological 'species' from two caves in NE Turkey

C. Jex, W. Eastwood, A. Baker, and I. Fairchild 122

Development of seasonal resolution paleomonsoon proxies in a Chinese speleothem

K. R. Johnson, G. M. Henderson, N. S. Belshaw, and C. Hu 125

Paleoclimate reconstructions for the Southeastern U.S.A. from speleothems in DeSoto Caverns, Alabama

W. J. Lambert and P. Aharon 128

The stable isotope and the paleomagnetic records of calcite speleothems in northern Yukon Territory, Canada: their relation with climatic changes during the pre-Pleistocene

B. Lauriol, D. Lacelle, and I. D. Clark 131

Climate and environmental variability in a mid-latitude savanna: observations from the Cold Air Cave stalagmites, Makapans Valley, South Africa

J. Lee-Thorp and K. Holmgren 132

Examining speleothem $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ response to precipitation and temperature changes

H. Li, C. Huh, D. Yuan, T. Li, and N. Wan 133

High-resolution climate variability of northeastern Chongqing, China during 60-70 ka reflected by a stalagmite $\delta^{18}\text{O}$ record from Xinyan Cave

T. Li, D. Yuan, H. Li, J. Wang, X. Wang, J. Qin, M. Zhang, Y. Lin, and Y. Yang 135

Paleoclimatic conditions recorded in cave sediments as studied by micromorphology and magnetic anisotropy: Dolganskaya Yama Cave system, Russia

L. Lisá, M. Chadima, and H. Oberhaensli 137

The comparisons of speleothem $\delta^{18}\text{O}$ record with historic and instrumental records in Southwest China: Questions regarding climate implications of speleothem ^{18}O

Z. Liu, H. Li, and D. Yuan 141

Dated speleothems: archives of the paleoenvironment (DAPHNE)

*A. Mangini, D. Scholz, A. Schröder-Ritzrau, D. Polag, B. Kromer, J. Fohlmeister, C. Spötl,
M. Isenbeck-Schroeter, D. K. Richter, S. Niggemann, S. Frisia, R. Miorandi,
W. Aeschbach-Hertig, and T. Kluge* 143

Seasonal changes in the isotopic composition of cave air, water and speleothem calcite in new St. Michaels Cave, Gibraltar: unwanted noise or a tool for decoding speleothem climate records?	
<i>D. Matthey, D. Lowry, R. Fisher, J. Duffet, J.-P. Latin, M. Ainsworth, J. Balestrino, R. Durell, J. McCarthy, and H. de la Paz</i>	144
Rainfall seasonality in tropical stalagmites discerned from magnesium and phosphorus partitioning in sub-annual couplets	
<i>V. Murgulet, P. Aharon, and M. G. Bersch</i>	147
100 years of vegetation and landscape changes within Wind Cave National Park, South Dakota, USA: a photographic record	
<i>K. Pace-Graczyk and M. Ohms</i>	149
Preliminary climatic interpretation of sedimentologic and rockmagnetic data from the cave Peștera cu Oase (Southern Carpathians, Romania)	
<i>C. Petrea, C. E. Panaiotu, V. Horoi, C. Panaiotu, and S. Constantin</i>	153
Environmental reconstruction since 2,500 years ago using cave sediments from Belize	
<i>J. S. Polk, P. E. van Beynen, and P. Reeder</i>	157
A two centuries long annual record of rainfall and enso variability archived in the oxygen isotope profiles of south pacific stalagmites	
<i>M. Rasbury, P. Aharon, and W. J. Lambert</i>	159
The relationships between hydrological conditions in the Eastern Mediterranean and Nile River discharge as evident from terrestrial (speleothems) and marine isotopic records	
<i>B. Schilman, A. Ayalon, M. Bar-Matthews, A. Almogi-Labin, and D. Shriki</i>	160
Origin of the cycles from 2000 year to 14 days in paleoluminescence insolation proxy records	
<i>Y. Y. Shopov, G. Tenchov, and D.C. Ford</i>	161
Stable isotope compositions of speleothems from Hungary: climate conditions and local variations	
<i>Z. Siklosy, A. Demeny, T.W. Vennemann, J. Kramers, and Sz. Leel-Ossy</i>	162
Reconstructing hemispheric-scale climates from multiple stalagmite records	
<i>C. L. Smith, A. Baker, I. J. Fairchild, S. Frisia, and A. Borsato</i>	163
Reconstruction of Late Holocene precipitation for West-Central Florida as derived from isotopes in speleothems	
<i>L. R. Soto, and Philip van Beynen</i>	166
Four centimeters of flowstone: climate change in a nutshell	
<i>C. Spötl and A. Mangini</i>	168
Applications of stalagmite laminae to paleoclimate reconstructions: comparison with dendrochronology/ climatology	
<i>M. Tan, B. Cai, A. Baker, C. Smith, D. Genty, and J. Esper</i>	169
Isotopic record of millennial scale climatic variations in a flowstone from the Villars Cave (SW-France)	
<i>K. Wainer, D. Genty, D. Blamart, B. Ghaleb, V. Plagnes, and Y. Quinif</i>	173

<i>K. Wainer, D. Genty, D. Blamart, B. Ghaleb, V. Plagnes, and Y. Quinif</i>	173
High-resolution stable isotope and elemental ratio records in a stalagmite from Beijing, China: Uncovering the climatic proxies in speleothem	
<i>N. Wan, H. Li, C. You, C. Huh</i>	174
Palaeoclimatic events and cycles determined from late Pleistocene to Holocene speleothem $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ records from New Zealand	
<i>P. W. Williams, D. N. T. King, H. Neil, and J. Zhao</i>	176
East Asian monsoonal records in the soda straw of the limestone cave in Korea	
<i>K. S. Woo, K. N. Jo, G. H. Hong, S. H. Kim, and B. C. Suk</i>	177
Atmospheric forcing of sulphate in speleothem carbonate	
<i>P. Wynn, I. Fairchild, S. Frisia, A. Borsato, and A. Baker</i>	178
A high-resolution climate record over the past 2300 years from a stalagmite of Dongge Cave, Libo, China	
<i>M. Zhang, X. Zhu, Y. Lin, H. Cheng, R.L. Edwards, J. Qin, Y. Yang, and H. Wang</i>	179
Various effects of paleoclimate and paleovegetation on stalagmite properties	
<i>X. Zhu, M. Zhang, Y. Lin, J. Qin, and Y. Yang</i>	180
Stable isotope stack record of the Villars Cave (SW France) of the last climatic cycle	
<i>D. Genty, D. Blamart, K. Weiner, B. Ghaleb, and Y. Quinif</i>	181
Stalagmite reconstructions of tropical pacific climate from Borneo during the last deglaciation	
<i>J. Partin, K.M. Cobb, J.F. Adkins, and B. Clark</i>	182

SEA-LEVEL CHANGES

Cave levels, marine terraces, paleoshorelines, and the water table in Florida

<i>L. J. Florea and H. L. Vacher</i>	184
--	-----

Sea-level position at ~80 ka based on phreatic overgrowths on speleothems from Mallorca

<i>B. P. Onac, J. J. Fornós, J. Ginés, A. Ginés, P. Tuccimei, D. W. Peate, and S. Björck</i>	189
--	-----

Sea level change during MIS 5a recorded in submerged speleothems from the Eastern Adriatic Sea (Croatia)

<i>M. Surić, D. Richards, D. Tibljaš, and M. Juračić</i>	192
--	-----

FOSSIL REMAINS IN KARST AND PALEOCLIMATE

Dated paleontological cave sites of Central Europe from MIS 5 to MIS 8

<i>D. Döppes, W. Rosendahl, and S. Kempe</i>	196
--	-----

Paleoclimatic significance of the mammal associations from Upper Pleistocene karst deposits of Dobrogea, Romania*E. Știucă, A. Petculescu, and R. Arghir* 199**The paleoenvironmental significance of some Late Pleistocene (Middle Valdai) *Diptera* puparia (*Callyphoridae*) from the Emine Bair Khosar trap-cave (Chatyrdag, Crimea)***M. M. Vremir and B. Ridush* 201**THEORETICAL AND APPLIED KARSTOLOGY (OFF-TOPIC CONTRIBUTIONS)****Natural and anthropogenic hazards in the Srebarna karst wetland (Bulgaria)***D. Angelova* 207**Preliminary study of soil tillage erosion in karst mountain area of China***W. Fu, H. Jia, W. Zhang, Z. Zhang, and J. Zhao* 209***Ursus spelaeus* reloaded***I. Viehmann* 210**Eutrophication process in the Plitvice Lakes, Croatia, as a consequence of anthropogenic pollution and/or natural process***N. Horvatinčić, J. Barešić, B. Obelić, Ines Krajcar Bronić, and J. L. Briansó* 211**Karst caves fillings and neotectonics study in Apulia, Southern Italy***V. Iurilli, G. Mastronuzzi, G. Palmentola, and G. Selleri* 215**An approach to the karst groundwater resources assessment***I. Jemcov* 217**Karst: hydrogeology and development of groundwater in the Mediterranean area***P. E. LaMoreaux* 219**Geoelectrical investigations by means of resistivity methods in karst areas in Romania***M. Maftciu, H. Mitrofan, and I. Povară* 220**Hydrogeological characteristic of some deep siphonal springs in the Carpatho-Balkan mountain arch (Eastern Serbia)***S. Milanovic* 224**Geology and dynamics of underground waters in Jiul de Vest – Cerna Valley/Baile Herculane (Romania)***G. Ponta and N. Terteleac* 227**Simulation of spring discharge by use of a multivariate ARMA model. Application to the Motru Sec – Baia de Aramă karst system, Mehedinți Mountains, Romania***A. Rotaru* 231**Karst denudation cycles in Bulgarian karst***Y. Y. Shopov, A. Benderev, and S. Shanov* 232

A characterization of the epikarst features of the Ozello karst plain

E. Spencer Fleury and R. Brinkmann 233

Measuring and monitoring the impacts of large dam on karst environment

Z. Stevanovic and A. Maran 234

Cryogenic formation of carbonate in caves – a review

K. Žák, B. P. Onac, and A. Perşoiu 238

Study of soil acidity and its influencing factors in a karst mountain region of Chongqing, China

Z. Zhang, D. Yuan, W. Fu, H. Zhang, and K. Xia..... 242

Groundwater vulnerability and its contamination potential analysis of Qianjiang County, Chongqing City

Z. Zhu, D. Yuan, and Y. Jiang..... 243

AUTHOR INDEX

244