

TABLE OF CONTENTS

Introduction.....	1
Introductory Keynotes	
Predicting Architecture and Recovery Behavior of Meteoric Paleokarst Reservoirs from Hierarchy of Associated Unconformity Surfaces <i>Kerans</i>	2
The Colors and Flavors of Karst <i>White</i>	5
Extended Abstracts	
Lewis and Clark Caverns, (Jefferson County) Montana: Karst from a Prolonged and Profound Tectonic History <i>Aram</i>	10
Bluff Dwellers Cave (McDonald County, Missouri): A Natural Classroom for Subsurface Fluid Flow and Reservoir Heterogeneity <i>Aram</i>	16
Eogenetic Karstification and Palaeohydrology of a Danian Land-Attached Carbonate Shelf (North Spain) <i>Baceta, Pujalte, Wright, and Lapointe</i>	21
Lower Paleozoic Paleokarst Mapping with Airborne Lidar, Franklin Mountains, El Paso, Texas <i>Bellian and Kerans</i>	23
What Is Palaeokarst? <i>Bosák</i>	26
Fabric Alteration and Stable Isotope Geochemistries of Karsted Madison Group Carbonates: Lick Creek Cave, Montana, U.S.A. <i>Carrière, Hopkins, and Machel</i>	28
Biogenic Macroporosity and Its Lattice Boltzmann Method Permeability in the Karst Biscayne Aquifer <i>Cunningham, Sukop, Huang, Alvarez, Curran, Wacker, Florea, Renken, and Dixon</i>	30
Fluid Flow, Dissolution, Breccia, and Carbonate Cement Along A Low-Angle Normal Fault; Evidence for Karsting in a Fault Zone, Mormon Mountains, Nevada <i>Diehl and Anderson</i>	36
Paleokarst-Enhanced Reservoir for Geothermics and Gas Storage in Carboniferous Limestone (Campine Basin, NW European Carboniferous Basin) <i>Dusar and Lagrou</i>	43
Microbially Mediated Carbonate Dissolution in Karst Aquifers <i>Engel and Randall</i>	52
The Effects of Mixed Hydrothermal and Meteoric Fluids on Karst Reservoir Development, Buda Thermal Karst, Hungary <i>Eröss, Csoma, and Szőnyi-Mádl</i>	57
Visualization of Groundwater Flow within Touching-Vug and Matrix porosity in an Eogenetic Karst Aquifer <i>Florea, Cunningham, and Altobelli</i>	64
Morphology and Genesis of the Main Ore Body at Nanisivik Zinc/Lead Mine, Baffin Island, Canada: An Outstanding Example of Paragenetic Dissolution of Carbonate Bedrocks with Pene-Contemporaneous Precipitation of Sulfides and Gangue Minerals in a Hypogene Setting <i>Ford</i>	76
Changing Conceptual Models in Carbonate Diagenesis <i>Goldstein</i>	81

Quantifying Karst Reservoirs Using Outcrop Analogues and Sub-Surface Data <i>Gutteridge, Witkowski, Grunnaleite, Jensen, and Sælen</i>	88
Water-Rock Interaction in Wumishan Formation Carbonate Rocks of Renqiu Oilfield and Evolution of the Reservoir and Permeability <i>Han and Zhu</i>	93
A Conceptual Model of Preferential Flow Pathways in a Karst Aquifer Using Multiple Data Types <i>Hill and Martin</i>	95
Geothermal Convection in the Tengiz Reservoir: A Mechanism for Generating Burial Karst? <i>Jones, Collins, Xiao, Kenter, Harris, and Assaubaeva</i>	104
Deep-Seated Karst: Paleokarst, or Hypogenic Speleogenesis? <i>Klimchouk</i>	105
Flank Margin Caves: Preservation Probability and Burial Outcomes <i>Labourdette and Mylroie</i>	107
Fracture Controlled Platform Margins, Implications in the Evolution of Karst Processes: An Approach from a 3D View <i>Labraña, Pueyo, and Hunt</i>	115
Rapid Recharge Events in a Semi-arid Environment: Two Examples from Karstic Aquifers in Southeastern New Mexico <i>Land and Burger</i>	116
Complex Karst-Controlled Reservoirs: Identification and Prediction in 3D-space of Reservoir Characteristics <i>Lapointe and Massonnat</i>	121
The Geothermal Reservoir of the Carboniferous Limestones of Hainaut (Belgium) <i>Licour</i>	122
Lower Ordovician Ellenburger Group Collapsed-Paleocave Facies and Associated Pore Network in the Goldrus Unit #3 Core, Barnhart Field, Texas <i>Loucks and Ruppel</i>	127
Origin and Modification of Lower Ordovician Ellenburger Group Paleokarst Breccias and Fractures in Central and West Texas <i>Loucks</i>	130
Paleocave Facies Types and Distribution in a Coalesced, Collapsed-Paleocave System from the Lower Ordovician, Ellenburger Group, as Defined by the Integration of Ground-Penetrating Radar and Shallow-Core and Outcrop Data <i>Loucks</i>	136
Late-Mississippian Paleokarst and Thermobaric Features with Related Porosity Creation and Destruction in the Aspen, Colorado Area, U.S.A. <i>Maslyn</i>	142
Evolution of Paleokarst Related to a Forebulge Unconformity: An Example from the Late Cretaceous and Paleogene of Kras, Matarsko Podolje and Istria, Southwest Slovenia and Northwest Croatia <i>Otoničar</i>	146
Quantitative Interpretation of Solution Porosity <i>Palmer</i>	157
Kaskaskia Paleokarsts of Northern Illinois, U.S.A. <i>Plotnick, Kenig, Glasspool, and Scott</i>	163
H ₂ S-H ₂ SO ₄ -Driven Hypogenic Speleogenesis of the Caves in the Guadalupe Mountains, New Mexico and Texas, U.S.A. <i>Polyak and Provencio</i>	168
Groundwater Flow-Path Identification in the Tabasco-Chiapas Mountain Range, Southern Mexico <i>Rosales-Lagarde, Campbell, Boston, and Stafford</i>	170
Hypogene Processes in the Balcones Fault Zone Edwards Aquifer in South-Central Texas, a New Conceptual Model to Explain Aquifer Dynamics <i>Schindel, Johnson, and Alexander</i>	172

Are Models of Collapsed Palaeocave Breccias Based on Continental Caves Adequate? <i>Smart and Whitaker</i>	173
Hypogene Speleogenesis within the Central Basin Platform: Karst Porosity in the Yates Field, Pecos County, Texas, U.S.A. <i>Stafford, Behnken, and White</i>	174
Speleogenesis in the Unconsolidated Cenozoic Limestones of Southern Australia <i>White and Mylroie</i>	179
Porosity of Modern Karst Aquifers <i>Worthington</i>	185
 Field Guide	
Field Guide to the Paleokarst of the Southern Black Hills <i>Palmer and Palmer</i>	189
Index.....	221